

update

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> L11 and "cover" </div>
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

 DATE: Thursday, December 30, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>		
<u>L12</u>	L11 and "cover"	84	<u>L12</u>
<u>L11</u>	L10 and (channel or chamber)	237	<u>L11</u>
<u>L10</u>	L9 and (heater or heating filament or heating element or heating film or heating foil)	472	<u>L10</u>
<u>L9</u>	L5 and (thermal conduct\$6 or heat conduct\$6 or heat flow or thermal flow or heat flux)	1082	<u>L9</u>
<u>L8</u>	L7 and (channel or aperture or opening)	183	<u>L8</u>
<u>L7</u>	L6 and (heater or heating filament or heating film or heating foil)	376	<u>L7</u>
<u>L6</u>	L5 and (thermal conduct\$6 or heat conduct\$6)	968	<u>L6</u>
<u>L5</u>	(374/44,4,29,43,55;422/82.01,82.02,90;73/23.35,25.01;436/149)![CCLS]	4308	<u>L5</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L4</u>	L3 and "fluid conductivity"	10	<u>L4</u>
<u>L3</u>	(heat conduct\$6 or thermal conduct\$6 or thermal diffusi\$4 or heat diffusi\$4 or heat flow or heat flux or thermal flow or thermal flux) same (heater or heating filament) same (conduct\$4)	17024	<u>L3</u>

<u>L2</u>	9heat conduct\$6 or thermal conduct\$6 or thermal (diffusi\$4 or heat diffusi\$4 or heat flo or heat flux or thermal flow or thermal flux) same (heater or heating) same (conduct\$4)	130844	<u>L2</u>
<u>L1</u>	374/44	580	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	374/44 <div style="float: right; text-align: right;"> </div>
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Thursday, December 30, 2004
 [Printable Copy](#)
 [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L5</u>	374/44	580	<u>L5</u>
<i>DB=USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>			
<u>L4</u>	L3 and "conductivity"	0	<u>L4</u>
<u>L3</u>	2079452	14	<u>L3</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L2</u>	6550961.pn.	1	<u>L2</u>
<u>L1</u>	3888110.pn.	1	<u>L1</u>

END OF SEARCH HISTORY